

AiM InfoTech

PAGANI – HUAYRA R
From 2021

Release 1.00



ECU





1

Models and years

AiM devices have been selected by the manufacturer to be installed as first installation for the following vehicles. Supported models and years are:

Pagani – Huayra R

from 2021

2

Race Studio configuration

Before connecting the AiM device to the ECU, set all functions using AiM software Race Studio. The parameters to set in the device configuration are:

- ECU manufacturer: **PAGANI**
- ECU Model: **HUAYRA R (RS3 only)**

3

"PAGANI – HUAYRA R" protocol

Channels received by AiM devices configured with "PAGANI – HUAYRA R" protocol are:

CHANNEL NAME	FUNCTION
Nmot	Engine RPM
Gear	Engaged gear
Speed	Vehicle speed
P Brake	Brake pressure
Ath	Throttle position sensor
T Air	Air temperature
Lap	Lap number
Lap Time	Lap time
Best Lap Time	Best lap time
Lat	Lateral acceleration
Long	Longitudinal acceleration
ABS Stage	ABS stage
Map Stage	Map stage
Fan Stage	Fan stage
Dam Stage	Dam stage
TC Stage	Traction control stage

Technical note: not all data channels outlined in the ECU template are validated for each manufacturer's model or variant; some of the outlined channels are model and year specific, and therefore may not be applicable.